

CERTIFICATE

Certificate holder **GUTEX Holzfaserplattenwerk
H. Henselmann GmbH + Co KG
Gutenberg 5
79761 Waldshut-Tiengen
GERMANY**

Production facility Waldshut-Tiengen

Product Thermal insulation products for buildings

Type, Model Ultratherm
Wood-fibre thermal insulation board

Testing basis DIN EN 13171:2015-04
DIN EN 13172:2012-04
European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)

Mark of conformity



Registration No. 011-7D084


Valid until 2020-06-30

Nutzungsrecht This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.



2018-06-21


Dipl.-Phys. Carlo Seiser
Deputy Head of Certification Body



ANNEX

Page 1 of 1

Certificate	011-7D084 dated 2018-06-21
Technical Data	Designation code in accordance with DIN EN 13171: WF-EN 13171-T5-WS1,0-CS(10/Y)150-TR20-MU3-AFr100 Declared thermal conductivity: 0,042 W/(m*K) Reaction to fire: Euroclasse E Thickness: 50 mm - 160 mm
Testing laboratory/ Inspection body	Materialprüfungsanstalt Universität Stuttgart Pfaffenwaldring 32 70569 Stuttgart GERMANY
Test report(s)	90003345/4/Schr dated 2017-04-24 9003345/17/Schr dated 2017-04-26
Surveillance contract/ License agreement	7000386 dated 2017-01-26

