redstone GmbH & Co. KG Haferwende 1 28357 Bremen Tel.: 0421 / 22 31 49 - O www.redstone.de

# **Technical Data Sheet**

# Plaster mesh 110





## Glass scrim mesh for reinforcement

## Areas of application:

 reinforcement insert for interior insulation boards for the redstone Clima and Pura lines

#### Characteristics:

- non-slip
- dimensionally stable
- alkali-resistant
- rot-proof

## Technical data:

• Colour: white

Material: scrim mesh from glass fibre

Mesh size: approx. 6 x 6 mm
Weight per unit area: 110 ± 10 q / m²

• Use: approx. 1.1 m² per m² of surface

Structural soundness: chain → 1,200 N / 5 cm

assembled section  $\rightarrow$  1,200 N / 5 cm

#### Instructions for use:

Depending on the application, the **plaster mesh 110** [Putzgewebe 110] is inserted into what is usually the first layer of the coating. The individual strips of the plaster mesh must not be butt-jointed, but must always lie approx. 10 cm above the following strip. The cutting must not take place on the roll. The technical data sheets for the other redstone system components that are used must be observed! (These are available at www.redstone.de/downloads).

## Storage / storage stability:

The **plaster mesh 110** [Putzgewebe 110] must be stored vertically and protected from direct sunlight, frost and moisture. The storage must take place in such a way that it is not possible for the plaster mesh to be deformed. If the plaster mesh is deformed, it must not be installed.

## Dimensions / Delivery form / Item No. / EAN No.:

Roll of 50 m<sup>2</sup> (width 1 m, length 50 m) / ACC110PG / 4260122564606

The technical information and instructions for use contained in this document are to the best of our knowledge correct and are provided in good faith. The content of this document does not constitute an explicit or implicit guarantee for the performance of these products. As we have no control over how our materials will be used or the conditions under which they are used, we can only guarantee that these products meet our quality standards. We can therefore only guarantee the quality of our products within the framework of our General Terms and Conditions, but we cannot guarantee their successful functioning in every situation. Subject to change without prior notice. This data sheet replaces all previous data sheets.

As of: 19/11/2024 Page 1 of 1

For over 20 years, Ecological Building Systems has been at the forefront of environmental and sustainable building products supplying a range of innovative airtightness solutions and natural insulations backed up with expert technical support.

As product suppliers in the UK and Ireland, we're happy to assist you with your projects and have expert technical and sales advice on hand.



### Call us

Great Britain +44 (0)1228 711511 Ireland +353 46 9432104



#### Email us

info@ecologicalbuildingsystems.com



## Find us

Great Britain Ecological Building Systems UK Ltd., Cardewlees, Carlisle, Cumbria, CA5 6LF, United Kingdom

Ireland Ecological Building Systems Ltd., Main Street, Athboy. Co. Meath, C15 Y678, Republic of Ireland

