# AURO

1080 Vers	0000 sion 4.1	Worktop oil Revision date 21-Jun-2024	F	Print date 21-Jun-2024	
SE	CTION 1: Identifica	ion of the substance/mixture and of the	company/undertaking		
1.1	Product identifier				
	Trade name/design	tion			
	1080000	Worktop oil			
1.2	Relevant identified	ses of the substance or mixture and uses adv	ised against		
	Relevant identified				
1.3	Details of the suppl	er of the safety data sheet			
	Supplier	-			
	AURO Pflanzenchem Alte Frankfurter Stral 38122 Braunschweig Germany				
	Department respon	ble for information			
	E-mail (competent pe				
1.4	Emergency telepho				
_	Emergency telephon Only available during	number: +44 1544388535 office hours.			
SE	CTION 2: Hazards	lentification			
2.1	Classification of the	substance or mixture			
		<b>ling to Regulation (EC) No 1272/2008 [CLP]</b> ed as not hazardous according to regulation (EC)	No 1272/2008 [CLP].		
2.2	Label elements				
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]				
	Hazard pictograms				
	not applicable				
	Signal word				
	not applicable				
	Hazard statements				
	not applicable Precautionary statements				
	not applicable				
	Hazard components for labelling				
	not applicable	U U			
	Supplemental hazar EUH210	<b>I information</b> Safety data sheet available on request.			
2.3	Other hazards	Salety data sheet available on request.			
2.5		mixture do not meet the PBT/vPvB criteria accor	ding to REACH, annex XIII.		
SE		ion/information on ingredients.			
3.2	Mixtures	•••••••••••••••••••••••••••••••••••••••			
	Description				
	Hazardous ingredie	te			
	CAS No. EC No	Substance na REACH No		weight-%	

Substance name REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%
2-ethylhexanoic acid, zirconium salt 01-2119979088-21 Popr 2 H261d	0,500 < 1,00
	REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP] 2-ethylhexanoic acid, zirconium salt

# Remark



1080000 Version 4.1 Worktop oil Revision date 21-Jun-2024

Print date 21-Jun-2024

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

#### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

#### Unsuitable extinguishing media

Strong water jet

#### 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3 Methods and material for containment and cleaning up

#### For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

#### For cleaning up

Clean using cleansing agents. Do not use solvents.

#### 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13



1080000 Version 4.1 Worktop oil Revision date 21-Jun-2024

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### Advices on general occupational hygiene

When using do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

**Storage class** LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3 Specific end use(s)

Observe technical data sheet.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No data available Biological limit values No data available

#### 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

#### Personal protection equipment

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

#### Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye/face protection

Eye glasses with side protection: EN 166

#### **Body protection**

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state

Liquid

# AURO

1080000		Worktop oil	
Version 4.1		Revision date 21-Jun-2024	Print date 21-Jun-2024
	Colour	refer to label	
	Odour	characteristic	
	рН	not determined	
	Melting point/freezing point	not determined	
	Initial boiling point and boiling ra	ange not determined	
	Flash point	not determined	
	flammability	not applicable	
	Lower explosion limit at 20°C	not determined	
	Upper explosion limit at 20°C	not determined	
	Vapour pressure at 20°C	0.961 mbar	
	Relative vapour density	not applicable	
	Density at 20 °C	0.9 kg/l	
	Water solubility at 20°C	practically insoluble	
	Partition coefficient: n-octanol/w	vater see section 12	
	Ignition temperature in °C	not determined	
	Decomposition temperature	not determined	
	Viscosity at 20 °C:	< 400 mm²/s	
9.2	Other information		

# not applicable

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

#### 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

#### 10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

#### 10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

#### **10.5** Incompatible materials

No further relevant information available.

#### 10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

#### **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Based on available data, the classification criteria are not met.

# Skin corrosion/irritation

Based on available data, the classification criteria are not met.

# Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

# Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

# **Overall assessment on CMR properties**

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

1080000	Worktop oil
Version 4.1	Revision date 21-Jun-2024

# AURO

Print date 21-Jun-2024

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### **11.2** Information on other hazards

#### Endocrine disrupting properties

\* This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### **SECTION 12: Ecological information**

12.1 Toxicity

Based on available data, the classification criteria are not met.

#### 12.2 Persistence and degradability

- No information available.
- 12.3 Bioaccumulative potential
  - No information available.
- 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

\* The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6 Endocrine disrupting properties

- No information available.
- 12.7 Other adverse effects

No information available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/ EC, covering waste and dangerous waste.

#### Waste codes/waste designations according to EWC/AVV

080112 - waste paint and varnish other than those mentioned in 08 01 11

#### Other disposal recommendations

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

not applicable

# 14.2 UN proper shipping name

# Land transport (ADR/RID)

No dangerous good in sense of these transport regulations.

# Sea transport (IMDG)

No dangerous good in sense of these transport regulations.

# Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of these transport regulations.

# 14.3 Transport hazard class(es)

not applicable



1080 Versi	000 ion 4.1	Worktop oil Revision date 21-Jun-2024	Print date 21-Jun-2024
14.4	Packing group not applicable		
14.5	Environmental hazards		
	Land transport (ADR/RID)	not applicable	
	Sea transport (IMDG)	not applicable	
14.6	Special precautions for use	r	
		pright and safe containers. Make sure that persons transp	porting the product know what to do in case
	of an accident or leakage. Advices on safe handling: se	e narts 6 - 8	
14.7	Maritime transport in bulk according to IMO instruments		
	No transport as bulk accordir	-	
14.8	Additional information		
	Land transport (ADR/RID)		
	not applicable		
	Sea transport (IMDG)		
	not applicable		
	Air transport (ICAO-TI / IAT	A-DGR)	
	not applicable		
SEC	CTION 15: Regulatory inf	ormation	
15.1	Safety, health and environm	ental regulations/legislation specific for the substance	ce or mixture
	EU legislation		
	Restrictions of occupation		
	Observe employment restrict	ons under the Maternity Protection Directive 92/85/EEC o	or stricter national regulations if applicable

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

# Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 8 g/l

# Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC limit value: 2004/42/IIA(f): 700 g/l (2010)

Maximum VOC content of the product in a ready to use condition: 8

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

# Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

# National regulations

Observe in addition any national regulations!

# 15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

	REACH No.	Substance name	CAS No. EC No.
0	1-2119979088-21	2-ethylhexanoic acid, zirconium salt	22464-99-9 245-018-1

# **SECTION 16: Other information**

# List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Suspected of damaging the unborn child.

# Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP] not applicable

# Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL: Occupational Exposure Limit Value

BLV: Biological limit values

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

H361d



1080000	Worktop oil	
Version 4.	1 Revision date 21-Jun-2024	Print date 21-Jun-2024
CMR		
	German Institute for Standardization / German industrial standard	
DNE	L: Derived No-Effect Level	
EAK	/: European Waste Catalogue Directive	
EC: E	Effective Concentration	
	European Community	
	European Standard	
	-DGR: International Air Transport Association – Dangerous Goods Regulations	
	Code: International Code for the Construction and Equipment of Ships carrying Dangerous Ch	
	-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of E	Dangerous Goods by Air
	Code: International Maritime Code for Dangerous Goods	
	International Organization for Standardization	
-	ethal Concentration	
	ethal Dose	
	: Maximum wokplace concentration POL: Maritime Pollution: The International Convention for the Prevention of Pollution from Shi	
	D: Organisation for Economic Cooperation and Development	ips
	persistent, bioaccumulative, toxic	
	C: Predicted No Effect Concentration	
	Regulations concerning the International Carriage of Dangerous Goods by Rail	
	Jnited Nations	
	Volatile Organic Compounds	
	: very persistent and very bioaccumulative	
Indic	ation of changes	

\* Data changed compared with the previous version.

For over 20 years, Ecological Building Systems has been at the forefront of environmental and sustainable building products supplying a range of innovative airtightness solutions and natural insulations backed up with expert technical support.

As product suppliers in the UK and Ireland, we're happy to assist you with your projects and have expert technical and sales advice on hand.



# Call us

Great Britain +44 (0)1228 711511 Ireland +353 46 9432104



# Email us

info@ecologicalbuildingsystems.com



# Find us

Great Britain Ecological Building Systems UK Ltd., Cardewlees, Carlisle, Cumbria, CA5 6LF, United Kingdom

Ireland Ecological Building Systems Ltd., Main Street, Athboy. Co. Meath, C15 Y678, Republic of Ireland



Discover our solutions online at ecologicalbuildingsystems.com