

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.02.2019

Revision: 26.02.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- Trade name: Anti-mould paint No 327
- Article number: 327
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Coating compound/ Surface coating/ paint
- **1.3 Details of the supplier of the safety data sheet**
- Manufacturer/Supplier:
AURO AG
Alte Frankfurter Str. 211
D-38122 Braunschweig
nieder@auro.de
- Further information obtainable from: product safety department
- **1.4 Emergency telephone number:** During normal opening times: +49 531 281 41 19

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- **2.2 Label elements**
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms GHS05
- Signal word Danger
- Hazard-determining components of labelling:
calcium dihydroxide
- Hazard statements
H315 Causes skin irritation.
H318 Causes serious eye damage.
- Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
- **2.3 Other hazards**
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

GB

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.02.2019

Revision: 26.02.2019

Trade name: Anti-mould paint No 327

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 1305-62-0	calcium dihydroxide	☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315	25-50%
EINECS: 215-137-3			

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 - Use neutralising agent.
 - Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire - and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

GB

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.02.2019

Revision: 26.02.2019

Trade name: Anti-mould paint No 327

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection

· *Additional information about design of technical facilities:* No further data; see item 7.

· 8.1 Control parameters

· *Ingredients with limit values that require monitoring at the workplace:*

1305-62-0 calcium dihydroxide

WEL	Short-term value: 4* mg/m ³ Long-term value: 5 l* mg/m ³ *respirable fraction
-----	---

· *Additional information:* The lists valid during the making were used as basis.

· 8.2 Exposure controls

· *Personal protective equipment:*

· *General protective and hygienic measures:*

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the skin.

Avoid contact with the eyes and skin.

· *Respiratory protection:* Not required.

· *Protection of hands:*



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· *Penetration time of glove material*

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· *Eye protection:*



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· *General Information*

· *Appearance:*

Form: Fluid
Colour: According to product specification

· *Odour:* Characteristic

· *Odour threshold:* Not determined.

· *pH-value at 20 °C:* 12

· *Change in condition*

Melting point/freezing point: Undetermined.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.02.2019

Revision: 26.02.2019

Trade name: Anti-mould paint No 327

(Contd. of page 3)

<i>Initial boiling point and boiling range:</i> 100 °C	
· <i>Flash point:</i>	Not applicable.
· <i>Flammability (solid, gas):</i>	Not applicable.
· <i>Decomposition temperature:</i>	Not determined.
· <i>Auto-ignition temperature:</i>	Product is not selfigniting.
· <i>Explosive properties:</i>	Product does not present an explosion hazard.
· <i>Explosion limits:</i>	
<i>Lower:</i>	Not determined.
<i>Upper:</i>	Not determined.
· <i>Vapour pressure at 20 °C:</i>	23 hPa
· <i>Density at 20 °C:</i>	1.32 g/cm ³
· <i>Relative density</i>	Not determined.
· <i>Vapour density</i>	Not determined.
· <i>Evaporation rate</i>	Not determined.
· <i>Solubility in / Miscibility with water:</i>	Not miscible or difficult to mix.
· <i>Partition coefficient: n-octanol/water:</i>	Not determined.
· <i>Viscosity:</i>	
<i>Dynamic at 20 °C:</i>	4,000 mPas
<i>Kinematic:</i>	Not determined.
<i>VOC (EC)</i>	3.8 g/l
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- *Acute toxicity* Based on available data, the classification criteria are not met.
- *Primary irritant effect:*
- *Skin corrosion/irritation*
Causes skin irritation.
- *Serious eye damage/irritation*
Causes serious eye damage.
- *Respiratory or skin sensitisation* Based on available data, the classification criteria are not met.
- *CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)*
- *Germ cell mutagenicity* Based on available data, the classification criteria are not met.
- *Carcinogenicity* Based on available data, the classification criteria are not met.
- *Reproductive toxicity* Based on available data, the classification criteria are not met.
- *STOT-single exposure* Based on available data, the classification criteria are not met.
- *STOT-repeated exposure* Based on available data, the classification criteria are not met.

(Contd. on page 5)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.02.2019

Revision: 26.02.2019

Trade name: Anti-mould paint No 327

(Contd. of page 4)

· *Aspiration hazard* Based on available data, the classification criteria are not met.**SECTION 12: Ecological information**· **12.1 Toxicity**· *Aquatic toxicity:* No further relevant information available.· **12.2 Persistence and degradability** No further relevant information available.· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.· *Additional ecological information:*· *General notes:*

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· **12.5 Results of PBT and vPvB assessment**· *PBT:* Not applicable.· *vPvB:* Not applicable.· **12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations**· **13.1 Waste treatment methods**· *Recommendation* Must not be disposed together with household garbage. Do not allow product to reach sewage system.· *European waste catalogue*

08 01 20 | aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

· *Uncleaned packaging:*· *Recommendation:* Disposal must be made according to official regulations.**SECTION 14: Transport information**· **14.1 UN-Number**· *ADR, ADN, IMDG, IATA*

Void

· **14.2 UN proper shipping name**· *ADR, ADN, IMDG, IATA*

Void

· **14.3 Transport hazard class(es)**· *ADR, ADN, IMDG, IATA*· *Class*

Void

· **14.4 Packing group**· *ADR, IMDG, IATA*

Void

· **14.5 Environmental hazards:**· *Marine pollutant:*

No

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· *UN "Model Regulation":*

Void

GB

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.02.2019

Revision: 26.02.2019

Trade name: Anti-mould paint No 327

(Contd. of page 5)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Directive 2012/18/EU
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H315 Causes skin irritation.
H318 Causes serious eye damage.
- **Department issuing SDS:** product safety department
- **Contact:** N.N.
- **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

GB