AURO

4130000 Version 4.0	Mould stop Revision date 02-Jul-2024	Print date 02-Jul-20		
SECTION 1: Identifi	cation of the substance/mixture and of the company/undertaking			
1.1 Product identifier				
Trade name/desig	nation			
4130000	Mould stop			
.2 Relevant identifie	d uses of the substance or mixture and uses advised against			
Relevant identifie	d uses			
Reactive cleaning/	emoval agent			
.3 Details of the sup	plier of the safety data sheet			
Supplier				
AURO Pflanzenche Alte Frankfurter Str 38122 Braunschwe Germany	aße 211 A Telephone: +49 531 28141-0			
	nsible for information			
E-mail (competent	• •			
.4 Emergency teleph				
Only available duri	one number: +44 1544388535 ng office hours.			
SECTION 2: Hazard	sidentification			
.1 Classification of t	he substance or mixture			
	ording to Regulation (EC) No 1272/2008 [CLP]			
	The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].			
2.2 Label elements				
-	ng to Regulation (EC) No. 1272/2008 [CLP]			
	Hazard pictograms			
not applicable				
Signal word				
not applicable				
Hazard statement	5			
not applicable				
Precautionary sta not applicable	lements			
Hazard componer	nts for labelling			
not applicable				
Supplemental haz	ard information			
EUH210	Safety data sheet available on request.			
2.3 Other hazards				
The substances in	the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.			
SECTION 3: Compo	sition/information on ingredients.			
.2 Mixtures				
Description				
Hazardous ingred	ients			
CAS No.	Substance name			
EC No.	REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%		

Classification according to Regulation (EC) No 1272/2008 [CLP]

ethanol; ethyl alcohol

01-2119457610-43-xxxx

Flam. Liq. 2 H225 / Eye Irrit. 2 H319 Specific concentration limit (SCL)

Index No.

64-17-5

200-578-6

603-002-00-5

25,0 < 35,0

AURO

4130000 /ersion 4.0	Mould stop Revision date 02-Jul-2024	Print date 02-Jul-2024
	Eye Irrit. 2 H319: >= 50,00 ATE (oral): = 10,470 mg/kg ATE (dermal): > 2,000 mg/kg ATE (inhalative): = 124.7 mg/L (4 h) ATE (oral): = 10,470 mg/kg ATE (dermal): > 2,000 mg/kg ATE (inhalative): = 124.7 mg/L (4 h)	
69-72-7 200-712-3 607-732-00-5	salicylic acid 01-2119486984-17 Acute Tox. 4 H302 / Eye Dam. 1 H318 / Repr. 2 H361d ATE (oral): = 891 mg/kg ATE (dermal): > 2,000 mg/kg ATE (oral): = 891 mg/kg ATE (dermal): > 2,000 mg/kg	0,050 < 0,100

Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions



4130000	Mould stop
Version 4.0	Revision date 02-Jul-2024

Print date 02-Jul-2024

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Storage class LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No data available

Biological limit values

No data available

DNEL worker

CAS No.	Substance name	DNEL type	DNEL value
64-17-5	ethanol; ethyl alcohol	Acute - inhalation, local effects	1,900 mg/m ³
64-17-5	ethanol; ethyl alcohol	Long-term - dermal, systemic effects	343 mg/kg bw
64-17-5	ethanol; ethyl alcohol	Long-term – inhalation, systemic effects	950 mg/m³

DNEL Consumer

CAS No.	Substance name	DNEL type	DNEL value
64-17-5	ethanol; ethyl alcohol	Acute - inhalation, local effects	950 mg/m³
64-17-5	ethanol; ethyl alcohol	Long-term - dermal, systemic effects	206 mg/kg bw
64-17-5	ethanol; ethyl alcohol	Long-term – inhalation, systemic effects	114 mg/m³

AURO

130000 'ersion 4.0	Mould stop Revision date 02-Jul-2024		Print date 02-Jul-2024
64-17-5	64-17-5 ethanol; ethyl alcohol Long-term - oral, system		87 mg/kg bw
PNEC			
CAS No.	Substance name	PNEC type	PNEC Value
64-17-5	ethanol; ethyl alcohol	aquatic, freshwater	0.96 mg/L
64-17-5	ethanol; ethyl alcohol	aquatic, marine water	0.79 mg/L
64-17-5	ethanol; ethyl alcohol	sediment, freshwater	3.6 mg/kg
64-17-5	ethanol; ethyl alcohol	soil	0.63 mg/kg
64-17-5	ethanol; ethyl alcohol	sewage treatment plant	580 mg/L

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Eye glasses with side protection: EN 166

Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	refer to label
Odour	characteristic
рН	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not determined
flammability	not applicable
Lower explosion limit at 20°C	not determined
Upper explosion limit at 20°C	not determined
Vapour pressure at 20°C	31.869 mbar
Relative vapour density	not applicable
Density at 20 °C	0.9 kg/l
Water solubility at 20°C	partially soluble
Partition coefficient: n-octanol/water	see section 12
Ignition temperature in °C	not determined
Decomposition temperature	not determined
Viscosity at 20 °C:	20 mm²/s



4130000 Version 4.0 Mould stop Revision date 02-Jul-2024

Print date 02-Jul-2024

9.2 Other information

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ethanol; ethyl alcohol

LD50: oral (Rat): = 10,470 mg/kg

LD50: dermal (Rabbit): > 2,000 mg/kg

LC50: inhalative (Rat): = 124.7 mg/L (4 h)

LD50: oral (Rat): = 10,470 mg/kg

LD50: dermal (Rabbit): > 2,000 mg/kg

LC50: inhalative (Rat): = 124.7 mg/L (4 h)

salicylic acid

LD50: oral (Rat): = 891 mg/kg

LD50: dermal (Rat): > 2,000 mg/kg

LD50: oral (Rat): = 891 mg/kg

LD50: dermal (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and



4130000Mould stopVersion 4.0Revision date 02-Jul-2024

Print date 02-Jul-2024

respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

11.2 Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met.

Acute (short-term) fish toxicity

salicylic acid

LC50: (Daphnia magna (Big water flea)): = 870 mg/L (48 h)

Chronic (long-term) fish toxicity

NOEC (Daphnia magna (Big water flea)): = 10 mg/L (21 d)

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water = 2.21 (salicylic acid)

Partition coefficient: n-octanol/water = -0.35 (ethanol; ethyl alcohol)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

No information available. 12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/ EC, covering waste and dangerous waste.

Waste codes/waste designations according to EWC/AVV

070699 - Wastes not otherwise specified

Other disposal recommendations

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

14.1 UN number or ID number

not applicable

14.2 UN proper shipping name

Land transport (ADR/RID)

No dangerous good in sense of these transport regulations.

Sea transport (IMDG)

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

not applicable



4130 Versi	000 on 4.0	Mould stop Revision date 02-Jul-2024	Print date 02-Jul-2024
14.4	Packing group not applicable		
14.5	Environmental hazards		
	Land transport (ADR/RID) Sea transport (IMDG)	not applicable not applicable	
14.6	Special precautions for use	r	
	Transport always in closed, u of an accident or leakage. Advices on safe handling: se	pright and safe containers. Make sure that persons trans e parts 6 - 8	porting the product know what to do in case
14.7	Maritime transport in bulk a	according to IMO instruments	
	No transport as bulk according	ig to IBC Code.	
14.8	Additional information		
	Land transport (ADR/RID)		
	not applicable		
	Sea transport (IMDG)		
	not applicable		
	Air transport (ICAO-TI / IAT	A-DGR)	
	not applicable		
SEC	CTION 15: Regulatory inf	ormation	
15.1	Safety, health and environn	nental regulations/legislation specific for the substan	ce or mixture

EU legislation

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 240 g/l

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations

Observe in addition any national regulations!

15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

REACH No.	Substance name	CAS No. EC No.
01-2119457610-43-xxxx	ethanol; ethyl alcohol	64-17-5 200-578-6
01-2119486984-17	salicylic acid	69-72-7 200-712-3

SECTION 16: Other information

List of relevant hazard statements and/or precautionary statements from sections 2 to 15

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

not applicable

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road OEL: Occupational Exposure Limit Value

BLV: Biological limit values



4130000	Mould stop			
Version 4.0	Revision date 02-Jul-2024	Print date 02-Jul-2024		
CAS: Chemical Ab	stracts Service			
CLP: Classificatior	n, Labelling and Packaging			
CMR: Carcinogeni	c, Mutagenic and Reprotoxic			
DIN: German Instit	tute for Standardization / German industrial standard			
DNEL: Derived No	-Effect Level			
	Vaste Catalogue Directive			
EC: Effective Cond				
EC: European Cor	nmunity			
EN: European Sta				
	ational Air Transport Association – Dangerous Goods Regulations			
	tional Code for the Construction and Equipment of Ships carrying D			
	onal Civil Aviation Organization Technical Instructions for the Safe T	ransport of Dangerous Goods by Air		
	IMDG Code: International Maritime Code for Dangerous Goods			
	Organization for Standardization			
LC: Lethal Concen	tration			
LD: Lethal Dose				
	vokplace concentration	tion from Ohion		
	e Pollution: The International Convention for the Prevention of Pollu	ition from Snips		
	on for Economic Cooperation and Development			
	oaccumulative, toxic No Effect Concentration			
	concerning the International Carriage of Dangerous Goods by Rail			
UN: United Nations				
VOC: Volatile Orga	-			
	ent and very bioaccumulative			
	-			
Indication of char	-			
* Data abawaya da a	namena di utita ta elementi en elemente e			

* Data changed compared with the previous version.

For over 20 years, Ecological Building Systems has been at the forefront of environmental and sustainable building products supplying a range of innovative airtightness solutions and natural insulations backed up with expert technical support.

As product suppliers in the UK and Ireland, we're happy to assist you with your projects and have expert technical and sales advice on hand.



Call us

Great Britain +44 (0)1228 711511 Ireland +353 46 9432104



Email us

info@ecologicalbuildingsystems.com



Find us

Great Britain Ecological Building Systems UK Ltd., Cardewlees, Carlisle, Cumbria, CA5 6LF, United Kingdom

Ireland Ecological Building Systems Ltd., Main Street, Athboy. Co. Meath, C15 Y678, Republic of Ireland



Discover our solutions online at ecologicalbuildingsystems.com