AURO

4730000 Version 4.0		Dishwashing liquid Revision date 12-Feb-2024	Print date 07-Mar-2024		
SE	CTION 1: Identification of	he substance/mixture and of the company/undertaking			
1.1	Product identifier				
	Trade name/designation				
	4730000	Dishwashing liquid			
	UFI:	T7Y0-A0QR-U002-P5NH			
1.2	Relevant identified uses of the	ne substance or mixture and uses advised against			
	Relevant identified uses				
	Cleaning agent				
1.3	Details of the supplier of the	safety data sheet			
	Supplier				
	AURO Pflanzenchemie AG				
	Alte Frankfurter Straße 211 A 38122 Braunschweig	Telephone: +49 531 28141-0 Telefax: +49 531 28141-72			
	Germany	E-mail: info@auro.de			
	-	Website: www.auro.de			
	Department responsible for				
	E-mail (competent person)	msds@auro.de			
1.4	Emergency telephone numb				
	Emergency telephone number Only available during office ho				
SE	CTION 2: Hazards identific	ation			
2.1	Classification of the substance or mixture				
	Classification according to Regulation (EC) No 1272/2008 [CLP]				
	The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Eye Dam. 1; Serious eye damage/eye irritation; H318 Causes serious eye damage.				
2.2	Label elements				
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]				
	Hazard pictograms				
*					
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
	GHS05				
	Signal word				
	Danger				
	Hazard statements				
	H318 Ca	auses serious eye damage.			
	Precautionary statements				
	P101 If	medical advice is needed, have product container or label at hand.			

P101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.P280Wear protective gloves and eye/face protection.P305 + P351 + P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and<br/>easy to do. Continue rinsing.P310Immediately call a POISON CENTER.

Hazard components for labelling

D-Glucopyranose, oligomers, decyl octyl glycosides

# Supplemental hazard information

EUH208

Contains Extractives and their physically modified derivatives such as tinctures, concretes, absolutes, essential oils, oleoresins, terpenes, terpene-free fractions, distillates, residues, etc., obtained from Cymbopogon winterianus, Gramineae. May produce an allergic reaction.

### 2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



4730000 Version 4.0 Dishwashing liquid

Revision date 12-Feb-2024

Print date 07-Mar-2024

### **SECTION 3: Composition/information on ingredients.**

### 3.2 Mixtures

Description

### Hazardous ingredients

CAS No. EC No. Index No.	Substance name REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%
110615-47-9 600-975-8 -	D-Glucopyranose, oligomeric, C10-16-alkyl glycosides 01-2119489418-23 Skin Irrit. 2 H315 / Eye Dam. 1 H318 ATE (oral): > 5,000 mg/kg ATE (oral): > 5,000 mg/kg	10,0 < 12,5
64-17-5 200-578-6 603-002-00-5	ethanol; ethyl alcohol         01-2119457610-43-xxxx         Flam. Liq. 2 H225 / Eye Irrit. 2 H319         Specific concentration limit (SCL)         Eye Irrit. 2 H319: >= 50,00         ATE (oral): = 10,470 mg/kg         ATE (dermal): > 2,000 mg/kg         ATE (inhalative): = 124.7 mg/L (4 h)         ATE (dermal): > 2,000 mg/kg         ATE (dermal): > 2,000 mg/kg         ATE (dermal): > 2,000 mg/kg         ATE (inhalative): = 124.7 mg/L (4 h)	7,00 < 8,00
68515-73-1 500-220-1 -	<b>D-Glucopyranose, oligomers, decyl octyl glycosides</b> 01-2119488530-36-XXXX Eye Dam. 1 H318	7,00 < 8,00
91771-61-8 294-954-7 -	Extractives and their physically modified derivatives such as tinctures, concretes, absolutes, essential oils, oleoresins, terpenes, terpene-free fractions, distillates, residues, etc., obtained from Cymbopogon winterianus, Gramineae. 01-2120741487-48-0014 Acute Tox. 4 H302 / Asp. Tox. 1 H304 / Skin Sens. 1 H317 / Eye Dam. 1 H318 / Aquatic Chronic 2 H411 ATE (oral): = 2,500 mg/kg ATE (oral): = 2,500 mg/kg	0,100 < 0,150

### Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

### General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

### Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

### Self-protection of the first aider

First aider: Pay attention to self-protection!

### 4.2 Most important symptoms and effects, both acute and delayed

### Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.



4730000	Dishwashing liquid
Version 4.0	Revision date 12-Feb-2024
	· · ·

Print date 07-Mar-2024

# 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media

### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

### Unsuitable extinguishing media

Strong water jet

### 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

### 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

### 6.3 Methods and material for containment and cleaning up

### For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

### For cleaning up

Clean using cleansing agents. Do not use solvents.

### 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

### Advices on general occupational hygiene

When using do not eat, drink or smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

### Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

### 7.3 Specific end use(s)

Storage class

Observe technical data sheet.

### **SECTION 8: Exposure controls/personal protection**



4730000	Dishwashing liquid
Version 4.0	Revision date 12-Feb-2024

### 8.1 Control parameters

### **Occupational exposure limit values**

CAS No.	Substance name	Source	Long-term /short-term (Spitzenbegrenzung)	
64-17-5	ethanol: ethyl alcohol	WEL	1.920 / - ( - ) mg/m ³	

### Additional information

Long-term: Long-term occupational exposure limit value short-term: short-term occupational exposure limit value

### Biological limit values

No data available

### **DNEL worker**

CAS No.	Substance name	DNEL type	DNEL value
64-17-5	ethanol; ethyl alcohol	Acute - inhalation, local effects	1,900 mg/m³
64-17-5	ethanol; ethyl alcohol	Long-term - dermal, systemic effects	343 mg/kg bw
64-17-5	ethanol; ethyl alcohol	Long-term – inhalation, systemic effects	950 mg/m ³

### **DNEL Consumer**

CAS No.	Substance name	DNEL type	DNEL value
64-17-5	ethanol; ethyl alcohol	Acute - inhalation, local effects	950 mg/m³
64-17-5	ethanol; ethyl alcohol	Long-term - dermal, systemic effects	206 mg/kg bw
64-17-5	ethanol; ethyl alcohol	Long-term – inhalation, systemic effects	114 mg/m³
64-17-5	ethanol; ethyl alcohol	Long-term - oral, systemic effects	87 mg/kg bw

### **PNEC**

	CAS No.	Substance name	PNEC type	PNEC Value
*	64-17-5	ethanol; ethyl alcohol	aquatic, freshwater	0.96 mg/L
*	64-17-5	ethanol; ethyl alcohol	aquatic, marine water	0.79 mg/L
*	64-17-5	ethanol; ethyl alcohol	sediment, freshwater	3.6 mg/kg
*	64-17-5	ethanol; ethyl alcohol	soil	0.63 mg/kg
	64-17-5	ethanol; ethyl alcohol	sewage treatment plant	580 mg/L

### 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

### Personal protection equipment

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

### Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

### Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

### Eye/face protection

Eye glasses with side protection: EN 166

### **Body protection**

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

### Environmental exposure controls

# AURO

4730000Dishwashing liquidVersion 4.0Revision date 12-Feb-2024

Print date 07-Mar-2024

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	refer to label
Odour	characteristic
pH	8
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not determined
flammability	not applicable
Lower explosion limit at 20°C	not determined
Upper explosion limit at 20°C	not determined
Vapour pressure at 20°C	26.512 mbar
Relative vapour density	not applicable
Density at 20 °C	1.0 kg/l
Water solubility at 20°C	partially soluble
Partition coefficient: n-octanol/water	see section 12
Ignition temperature in °C	not determined
Decomposition temperature	not determined
Viscosity at 20 °C:	< 80 mm²/s

### 9.2 Other information

not applicable

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

### 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

### 10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

### **10.4 Conditions to avoid**

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

### 10.5 Incompatible materials

No further relevant information available.

### **10.6 Hazardous decomposition products**

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

### **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Based on available data, the classification criteria are not met.

# D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

- LD50: oral (Rat): > 5,000 mg/kg
- * LD50: oral (Rat): > 5,000 mg/kg



4730000 **Dishwashing liquid** Version 4.0 Revision date 12-Feb-2024 Print date 07-Mar-2024 Extractives and their physically modified derivatives such as tinctures, concretes, absolutes, essential oils, oleoresins, terpenes, terpene-free fractions, distillates, residues, etc., obtained from Cymbopogon winterianus, Gramineae. LD50: oral (Rat): = 2,500 mg/kg LD50: oral (Rat): = 2,500 mg/kg ethanol; ethyl alcohol LD50: oral (Rat): = 10,470 mg/kg LD50: dermal (Rabbit): > 2,000 mg/kg LC50: inhalative (Rat): = 124.7 mg/L (4 h) LD50: oral (Rat): = 10,470 mg/kg LD50: dermal (Rabbit): > 2,000 mg/kg LC50: inhalative (Rat): = 124.7 mg/L (4 h) Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye irritation Causes serious eye damage. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. **Overall assessment on CMR properties** Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard

Based on available data, the classification criteria are not met.

# Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

# 11.2 Information on other hazards

# Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Based on available data, the classification criteria are not met.

- Acute (short-term) fish toxicity
   D-Glucopyranose, oligomeric, C10-16-alkyl glycosides LC50: (Danio rerio (zebrafish)): = 5.9 mg/L (96 h)
- **D-Glucopyranose, oligomers, decyl octyl glycosides** * LC50: (Danio rerio (zebrafish)): = 100.81 mg/L (96 h) Method: ISO 7346

Acute (short-term) toxicity to algae and cyanobacteria D-Glucopyranose, oligomeric, C10-16-alkyl glycosides EC50 (Scenedesmus subspicatus): = 25 mg/L (72 h)

- * Acute (short-term) toxicity to crustacea EC50 (Daphnia magna (Big water flea)): = 14 mg/L (48 h)
- **D-Glucopyranose, oligomers, decyl octyl glycosides** * EC50 (Daphnia magna (Big water flea)): = 31.62 mg/L (48 h) Method: OECD 202



Print date 07-Mar-2024

473000       Dishwashing liquid         Version 4.0       Revision date 12-Feb-2024         Print date 07-Mar-20         Chronic (long-term) fish toxicity         *       NOEC: (Danio rerio (zebrafish)): = 1.8 mg/L (28 d) Method: OECD 204         *       Chronic (long-term) toxicity to aquatic invertebrate EC10 (Daphnia magna (Big water flea)): = 1.76 mg/L (21 d)         12.2       Persistence and degradability No information available.         12.3       Bioaccumulative potential				
<ul> <li>* NOEC: (Danio rerio (zebrafish)): = 1.8 mg/L (28 d) Method: OECD 204</li> <li>* Chronic (long-term) toxicity to aquatic invertebrate EC10 (Daphnia magna (Big water flea)): = 1.76 mg/L (21 d)</li> <li>12.2 Persistence and degradability No information available.</li> </ul>				
EC10 (Daphnia magna (Big water flea)): = 1.76 mg/L (21 d) <b>12.2 Persistence and degradability</b> No information available.				
No information available.				
<ul> <li>Partition coefficient: n-octanol/water &lt; 1.77 (D-Glucopyranose, oligomers, decyl octyl glycosides)</li> </ul>				
<ul> <li>* Partition coefficient: n-octanol/water = -0.35 (ethanol; ethyl alcohol)</li> </ul>				
<ul> <li>Partition coefficient: n-octanol/water &lt; -0.07 (D-Glucopyranose, oligomeric, C10-16-alkyl glycosides)</li> </ul>				
12.4 Mobility in soil No information available.				
12.5 Results of PBT and vPvB assessment				
The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.				
12.6 Endocrine disrupting properties				
No information available.				
12.7 Other adverse effects				
No information available.				
SECTION 13: Disposal considerations				
13.1 Waste treatment methods				
Product/Packaging disposal				
Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/ EC, covering waste and dangerous waste.				
Waste codes/waste designations according to EWC/AVV				
200129* - Detergents containing hazardous substances				
Other disposal recommendations				
Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.				
SECTION 14: Transport information				
14.1 UN number or ID number not applicable				
14.2 UN proper shipping name				
Land transport (ADR/RID)				
No dangerous good in sense of these transport regulations.				
Sea transport (IMDG)				
No dangerous good in sense of these transport regulations.				
Air transport (ICAO-TI / IATA-DGR)				
No dangerous good in sense of these transport regulations.				
14.3 Transport hazard class(es)				
not applicable 14.4 Packing group				
not applicable				
14.5 Environmental hazards				
Land transport (ADR/RID) not applicable Sea transport (IMDG) not applicable				
14.6 Special precautions for user				
Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8				
<b>14.7 Maritime transport in bulk according to IMO instruments</b> No transport as bulk according to IBC Code.				



Print date 07-Mar-2024

4730000 Version 4.0 Dishwashing liquid Revision date 12-Feb-2024

### 14.8 Additional information

### Land transport (ADR/RID)

not applicable Sea transport (IMDG) not applicable Air transport (ICAO-TI / IATA-DGR)

not applicable

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU legislation

### **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

### Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

### VOC value: 82 g/l

# Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

### National regulations

Observe in addition any national regulations!

### 15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

REACH No.	Substance name	CAS No. EC No.
01-2119489418-23	D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	110615-47-9 600-975-8
01-2119488530-36-XXXX	D-Glucopyranose, oligomers, decyl octyl glycosides	68515-73-1 500-220-1
01-2120741487-48-0014	Extractives and their physically modified derivatives such as tinctures, concretes, absolutes, essential oils, oleoresins, terpenes, terpene-free fractions, distillates, residues, etc., obtained from Cymbopogon winterianus, Gramineae.	91771-61-8 294-954-7
01-2119457610-43-xxxx	ethanol; ethyl alcohol	64-17-5 200-578-6

### **SECTION 16: Other information**

### List of relevant hazard statements and/or precautionary statements from sections 2 to 15

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

### Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Eye Dam. 1

Calculation method.

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL: Occupational Exposure Limit Value

BLV: Biological limit values

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard



4730000	Dishwashing liquid	
Version 4.0	Revision date 12-Feb-2024	Print date 07-Mar-2024
DNEL: Derived No-Effect Level		
EAKV: European Waste Catalogue Directive		
EC: Effective Concentration		
EC: European Community		
EN: European Standard		
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations		
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk		
ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air		
IMDG Code: International Maritime Code for Dangerous Goods		
ISO: International Organization for Standardization		
LC: Lethal Concentration		
LD: Lethal Dose		
MWC: Maximum wokplace concentration		
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships		
OECD: Organisation for Economic Cooperation and Development		
PBT: persistent, bioaccumulative, toxic		
PNEC: Predicted No Effect Concentration		
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail		
UN: United Nations		
VOC: Volatile Organic Compounds		
vPvB: very persistent a	and very bioaccumulative	
Indication of change	s	
* Data abangad asma	ared with the provinue version	

* Data changed compared with the previous version.

For over 20 years, Ecological Building Systems has been at the forefront of environmental and sustainable building products supplying a range of innovative airtightness solutions and natural insulations backed up with expert technical support.

As product suppliers in the UK and Ireland, we're happy to assist you with your projects and have expert technical and sales advice on hand.



# Call us

Great Britain +44 (0)1228 711511 Ireland +353 46 9432104



# Email us

info@ecologicalbuildingsystems.com



# Find us

Great Britain Ecological Building Systems UK Ltd., Cardewlees, Carlisle, Cumbria, CA5 6LF, United Kingdom

Ireland Ecological Building Systems Ltd., Main Street, Athboy. Co. Meath, C15 Y678, Republic of Ireland



Discover our solutions online at ecologicalbuildingsystems.com