# AURO

	ion 2.0	Revision date 12-Feb-2024	Print date 07-Mar-2		
SE	CTION 1: Identific	ation of the substance/mixture and of the company/undertaking			
1.1	Product identifier				
	Trade name/desigr	ation			
	3890000	Wallpaper paste			
1.2	Relevant identified	uses of the substance or mixture and uses advised against			
	Relevant identified	uses			
	Adhesion promoter				
1.3	Details of the supp	lier of the safety data sheet			
	Supplier				
	AURO Pflanzencher				
	Alte Frankfurter Stra				
	38122 Braunschwei Germany	E-mail: info@auro.de			
	,	Website: www.auro.de			
		sible for information			
	E-mail (competent p				
1.4	Emergency telepho				
	Emergency telephor Only available during	ne number: +44 1544388535 a office hours			
SE	CTION 2: Hazards				
2.1		e substance or mixture			
	Classification acco	rding to Regulation (EC) No 1272/2008 [CLP]			
		ified as not hazardous according to regulation (EC) No 1272/2008 [CLP].			
2.2	Label elements				
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]				
	-				
	Hazard pictograms not applicable				
	Signal word				
	not applicable				
	Hazard statements				
	not applicable				
	Precautionary statements				
	not applicable				
	Hazard components for labelling				
	not applicable				
ł	Supplemental haza				
	EUH208	Contains ethandial %; glyoxal %. May produce an allergic reaction.			
2.3	EUH210 Other hazards	Safety data sheet available on request.			
2.3		ne mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.			
SE		ition/information on ingredients.			
3.2	Mixtures				
	Description				
	Hazardous ingredients				
	CAS No.	Substance name			
	EC No.	REACH No.	weight-%		
	Index No.	Classification according to Regulation (EC) No 1272/2008 [CLP]			

203-474-9

**ethandial ... %; glyoxal ... %** 01-2119461733-37

0,300 < 0,500



3890000 Version 2.0	Wallpaper paste Revision date 12-Feb-2024	Print date 07-Mar-2024
605-016-00-7	Skin Irrit. 2 H315 / Skin Sens. 1 H317 / Eye Irrit. 2 H319 / Acute Tox. 4 H332 / STOT SE 3 H33         Muta. 2 H341         ATE (oral): = 200 mg/kg         ATE (inhalative): = 2.44 mg/L (4 h)         ATE (oral): = 200 mg/kg         ATE (inhalative): = 2.44 mg/L (4 h)         ATE (inhalative): = 2.44 mg/L (4 h)	5 /

Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

# General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

## Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

## Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

# After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

## **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

# Self-protection of the first aider

First aider: Pay attention to self-protection!

# 4.2 Most important symptoms and effects, both acute and delayed

## Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

# 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

# Unsuitable extinguishing media

Strong water jet

# 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

# 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

# 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

# 6.3 Methods and material for containment and cleaning up

# For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).



3890000	Wallpaper paste
Version 2.0	Revision date 12-Feb-2024

Print date 07-Mar-2024

# For cleaning up

Clean using cleansing agents. Do not use solvents.

# 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

# Advices on general occupational hygiene

When using do not eat, drink or smoke.

## 7.2 Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

# Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

**Storage class** LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

## Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

### 7.3 Specific end use(s)

Observe technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## **Occupational exposure limit values**

No data available

**Biological limit values** 

No data available

## 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

## Personal protection equipment

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

### Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

### **Skin protection**

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

### Eye/face protection

Eye glasses with side protection: EN 166

### **Body protection**

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

# AURO

Print date 07-Mar-2024

 3890000
 Wallpaper paste

 Version 2.0
 Revision date 12-Feb-2024

 Environmental exposure controls
 Do not allow to enter into surface water or drains.

 SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	refer to label
Odour	characteristic
рН	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not determined
flammability	not applicable
Lower explosion limit at 20°C	not determined
Upper explosion limit at 20°C	not determined
Vapour pressure at 20°C	20.2 mbar
Relative vapour density	not applicable
Density at 20 °C	1.3 kg/l
Water solubility at 20°C	not determined
Partition coefficient: n-octanol/water	see section 12
Ignition temperature in °C	not determined
Decomposition temperature	not determined
Viscosity at 40 °C:	not determined

# 9.2 Other information

not applicable

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

# 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

# 10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

# 10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

# 10.5 Incompatible materials

No further relevant information available.

# 10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Based on available data, the classification criteria are not met.

### \* ethandial ... %; glyoxal ... % LD50: oral (Rat): = 200 mg/kg

\* LC50: inhalative (Rat): = 2.44 mg/L (4 h)



Print date 07-Mar-2024

 3890000
 Wallpaper paste

 Version 2.0
 Revision date 12-Feb-2024

 LD50: oral (Rat): = 200 mg/kg

 \*
 LC50: inhalative (Rat): = 2.44 mg/L (4 h)

# Skin corrosion/irritation

Based on available data, the classification criteria are not met.

# Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

# Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

# \* Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

# **11.2** Information on other hazards

## \* Endocrine disrupting properties

 This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Based on available data, the classification criteria are not met.

# 12.2 Persistence and degradability

No information available.

# 12.3 Bioaccumulative potential

\* Partition coefficient: n-octanol/water = -1.15 (ethandial ... %; glyoxal ... %)

# 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6\* Endocrine disrupting properties

No information available.

# 12.7 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

## Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/ EC, covering waste and dangerous waste.

# Waste codes/waste designations according to EWC/AVV

080416 - aqueous liquid waste containing adhesives or sealants other than those mentioned in 08 04 15

### Other disposal recommendations

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.



3890 Versi	0000 ion 2.0	Wallpaper paste Revision date 12-Feb-2024	Print date 07-Mar-2024			
	CTION 14: Transport info					
14.1	UN number or ID number					
	not applicable					
14.2	UN proper shipping name					
	Land transport (ADR/RID)					
	No dangerous good in sense	of these transport regulations.				
	Sea transport (IMDG)					
	No dangerous good in sense	of these transport regulations.				
	Air transport (ICAO-TI / IATA-DGR)					
	No dangerous good in sense	of these transport regulations.				
14.3	Transport hazard class(es)					
	not applicable					
14.4	Packing group					
	not applicable					
14.5	Environmental hazards					
	Land transport (ADR/RID) Sea transport (IMDG)	not applicable not applicable				
14.6	Special precautions for use	er				
*	Transport always in closed, u of an accident or leakage. Advices on safe handling: se	ipright and safe containers. Make sure that persons transpo e parts 6 - 8	rting the product know what to do in case			
14.7	Maritime transport in bulk according to IMO instruments					
	No transport as bulk accordir	ng to IBC Code.				
14.8	Additional information					
	Land transport (ADR/RID)					
	not applicable					
	Sea transport (IMDG)					
	not applicable					
	Air transport (ICAO-TI / IAT	A-DGR)				
	not applicable					
SEC	CTION 15: Regulatory inf	ormation				
15.1	Safety, health and environm	nental regulations/legislation specific for the substance	or mixture			
	EU legislation					
	Destrictions of accuration					

## **Restrictions of occupation**

\* Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

# Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 6 g/l

# Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

# National regulations

\* Observe in addition any national regulations!

# 15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

	REACH No.	Substance name	CAS No. EC No.
*	01-2119461733-37	ethandial %; glyoxal %	107-22-2 203-474-9

# **SECTION 16: Other information**



ion 2.0	Wallpaper paste Revision date 12-Feb-2024	Print date 07-Mar-20
List of relevant	nazard statements and/or precautionary statements from section	ons 2 to 15
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H341	Suspected of causing genetic defects (state route of expression of exposure cause the hazard).	posure if it is conclusively proven that no othe
Classification for	r mixtures and used evaluation method according to regulatio	on (EC) No 1272/2008 [CLP]
not applicable		
Abbreviations a	nd acronyms	
BLV: Biological li CAS: Chemical A CLP: Classificatio CMR: Carcinoger DIN: German Ins DNEL: Derived N EAKV: European EC: Effective Cor EC: European Co EN: European St IATA-DGR: Intern IBC Code: Internat IMDG Code: Inte	bstracts Service on, Labelling and Packaging nic, Mutagenic and Reprotoxic titute for Standardization / German industrial standard o-Effect Level Waste Catalogue Directive ncentration ommunity andard national Air Transport Association – Dangerous Goods Regulations ational Code for the Construction and Equipment of Ships carrying ional Civil Aviation Organization Technical Instructions for the Safe rnational Maritime Code for Dangerous Goods I Organization for Standardization	Dangerous Chemicals in Bulk

For over 20 years, Ecological Building Systems has been at the forefront of environmental and sustainable building products supplying a range of innovative airtightness solutions and natural insulations backed up with expert technical support.

As product suppliers in the UK and Ireland, we're happy to assist you with your projects and have expert technical and sales advice on hand.



# Call us

Great Britain +44 (0)1228 711511 Ireland +353 46 9432104



# Email us

info@ecologicalbuildingsystems.com



# Find us

Great Britain Ecological Building Systems UK Ltd., Cardewlees, Carlisle, Cumbria, CA5 6LF, United Kingdom

Ireland Ecological Building Systems Ltd., Main Street, Athboy. Co. Meath, C15 Y678, Republic of Ireland



Discover our solutions online at ecologicalbuildingsystems.com