AURO

	000 ion 5.0	Floor cleaner Revision date 02-Jul-2024	Print date 02-Jul-202				
SE	CTION 1: Identification of th	ne substance/mixture and of the company/under	rtaking				
1.1	Product identifier						
	Trade name/designation						
	4270000	Floor cleaner					
	UFI:	EEW0-Q07E-D00P-S0E5					
1.2	Relevant identified uses of the	e substance or mixture and uses advised against					
	Relevant identified uses						
	Cleaning agent						
1.3	Details of the supplier of the s	safety data sheet					
	Supplier						
	AURO Pflanzenchemie AG						
	Alte Frankfurter Straße 211 A	Telephone: +49 531 28141-0					
	38122 Braunschweig Germany	Telefax: +49 531 28141-72 E-mail: info@auro.de					
	Connary	Website: www.auro.de					
	Department responsible for in	formation					
	E-mail (competent person)	msds@auro.de					
1.4	Emergency telephone number						
	Emergency telephone number:						
	Only available during office hou						
SE	CTION 2: Hazards identifica	tion					
2.1	Classification of the substance	e or mixture					
	Classification according to Regulation (EC) No 1272/2008 [CLP]						
	The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].						
		ge/eye irritation; H318 Causes serious eye damage.					
2.2							
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]						
	Hazard pictograms						
	\wedge						
	L.F.						
	\sim						
	GHS05						
	Signal word						
	•						
	Danger						
	Danger Hazard statements						

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves and eye/face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER.
11	

Hazard components for labelling

D-Glucopyranose, oligomers, decyl octyl glycosides

Supplemental hazard information

not applicable

2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients.

AURO

Print date 02-Jul-2024

4270000 Version 5.0

Floor cleaner Revision date 02-Jul-2024

3.2 Mixtures

Description

Hazardous ingredients

CAS No. EC No. Index No.	Substance name REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%
110615-47-9 600-975-8 -	D-Glucopyranose, oligomeric, C10-16-alkyl glycosides 01-2119489418-23 Skin Irrit. 2 H315 / Eye Dam. 1 H318 ATE (oral): > 5,000 mg/kg ATE (oral): > 5,000 mg/kg	2,00 < 2,50
64-17-5 200-578-6 603-002-00-5	ethanol; ethyl alcohol 01-2119457610-43-xxxx Flam. Liq. 2 H225 / Eye Irrit. 2 H319 Specific concentration limit (SCL) Eye Irrit. 2 H319: $>= 50,00$ ATE (oral): $= 10,470$ mg/kg ATE (dermal): $> 2,000$ mg/kg ATE (inhalative): $= 124.7$ mg/L (4 h) ATE (oral): $= 10,470$ mg/kg ATE (dermal): $> 2,000$ mg/kg ATE (dermal): $> 2,000$ mg/kg ATE (inhalative): $= 124.7$ mg/L (4 h)	1,00 < 2,00
68515-73-1 500-220-1 -	D-Glucopyranose, oligomers, decyl octyl glycosides 01-2119488530-36-XXXX Eye Dam. 1 H318	1,00 < 2,00
584-08-7 209-529-3 -	Potassium carbonate 01-2119532646-36 Skin Irrit. 2 H315 / Eye Irrit. 2 H319 / STOT SE 3 H335 ATE (oral): > 2,000 mg/kg ATE (inhalative): > 4.96 mg/L (4 h) ATE (oral): > 2,000 mg/kg ATE (inhalative): > 4.96 mg/L (4 h) ATE (inhalative): > 4.96 mg/L (4 h) ATE (dermal): > 2,000 mg/kg ATE (dermal): > 2,000 mg/kg	0,500 < 1,00

Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.2



4270000 Floor cleaner	
Version 5.0 Revision date 02-Jul-2024	

Print date 02-Jul-2024

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Storage class

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection



4270000 Version 5.0 Floor cleaner Revision date 02-Jul-2024

Print date 02-Jul-2024

8.1 Control parameters

Occupational exposure limit values

No data available

Biological limit values No data available

DNEL worker

CAS No.	Substance name	DNEL type	DNEL value
64-17-5	ethanol; ethyl alcohol	Acute - inhalation, local effects	1,900 mg/m ³
64-17-5	ethanol; ethyl alcohol	Long-term - dermal, systemic effects	343 mg/kg bw
64-17-5	ethanol; ethyl alcohol	Long-term – inhalation, systemic effects	950 mg/m³

DNEL Consumer

CAS No.	Substance name	DNEL type	DNEL value
64-17-5	ethanol; ethyl alcohol	Acute - inhalation, local effects	950 mg/m³
64-17-5	ethanol; ethyl alcohol	Long-term - dermal, systemic effects	206 mg/kg bw
64-17-5	ethanol; ethyl alcohol	Long-term – inhalation, systemic effects	114 mg/m³
64-17-5	ethanol; ethyl alcohol	Long-term - oral, systemic effects	87 mg/kg bw

PNEC

CAS No.	Substance name	PNEC type	PNEC Value
64-17-5	ethanol; ethyl alcohol	aquatic, freshwater	0.96 mg/L
64-17-5	ethanol; ethyl alcohol	aquatic, marine water	0.79 mg/L
64-17-5	ethanol; ethyl alcohol	sediment, freshwater	3.6 mg/kg
64-17-5	ethanol; ethyl alcohol	soil	0.63 mg/kg
64-17-5	ethanol; ethyl alcohol	sewage treatment plant	580 mg/L

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Eye glasses with side protection: EN 166

Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical sta	ate
--------------	-----

Colour

Liquid

refer to label

AURO

4270 Vers	0000 ion 5.0	Floor cleaner Revision date 02-J	ul-2024	Print date 02-Jul-2024
	Odour		characteristic	
	рН		7.4	
	Melting point/freezing point		not determined	
	Initial boiling point and boiling ra	ange	100 °C	
	Flash point		not determined	
	flammability		not applicable	
	Lower explosion limit at 20°C		not determined	
	Upper explosion limit at 20°C		not determined	
	Vapour pressure at 20°C		22.337 mbar	
	Relative vapour density		not applicable	
	Density at 20 °C		1.0 kg/l	
	Water solubility at 20°C		partially soluble	
	Partition coefficient: n-octanol/w	vater	see section 12	
	Ignition temperature in °C		not determined	
	Decomposition temperature		not determined	
	Viscosity at 20 °C:		179.34 mm²/s	
9.2	Other information			

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

LD50: oral (Rat): > 5,000 mg/kg

LD50: oral (Rat): > 5,000 mg/kg

Potassium carbonate

LD50: oral (Rat): > 2,000 mg/kg

LC50: inhalative (Rat): > 4.96 mg/L (4 h)

LD50: dermal (Rabbit): > 2,000 mg/kg

LD50: oral (Rat): > 2,000 mg/kg

LC50: inhalative (Rat): > 4.96 mg/L (4 h)

LD50: dermal (Rabbit): > 2,000 mg/kg

4270000 Version 5.0

Floor cleaner Revision date 02-Jul-2024

AURO

Print date 02-Jul-2024

ethanol; ethyl alcohol

LD50: oral (Rat): = 10,470 mg/kg

LD50: dermal (Rabbit): > 2,000 mg/kg

LC50: inhalative (Rat): = 124.7 mg/L (4 h)

LD50: oral (Rat): = 10,470 mg/kg

LD50: dermal (Rabbit): > 2,000 mg/kg

LC50: inhalative (Rat): = 124.7 mg/L (4 h)

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

11.2 Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met.

Acute (short-term) fish toxicity

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides LC50: (Danio rerio (zebrafish)): = 5.9 mg/L (96 h)

D-Glucopyranose, oligomers, decyl octyl glycosides

LC50: (Danio rerio (zebrafish)): = 100.81 mg/L (96 h) Method: ISO 7346

Potassium carbonate

LC50: (Oncorhynchus mykiss (Rainbow trout)): = 68 mg/L (96 h)

NOEC (Oncorhynchus mykiss (Rainbow trout)): = 33 mg/L (96 h)

Acute (short-term) toxicity to algae and cyanobacteria D-Glucopyranose, oligomeric, C10-16-alkyl glycosides EC50 (Scenedesmus subspicatus): = 25 mg/L (72 h)

Acute (short-term) toxicity to crustacea EC50 (Daphnia magna (Big water flea)): = 14 mg/L (48 h)

D-Glucopyranose, oligomers, decyl octyl glycosides EC50 (Daphnia magna (Big water flea)): = 31.62 mg/L (48 h) Method: OECD 202



Print date 02-Jul-2024

		or cleaner vision date 02-Jul-2024	Print date 02-Jul-202
	Potassium carbonate EC50 (Daphnia pulex (water flea)):	= 200 mg/L (48 h)	
	NOEC (Daphnia pulex (water flea)):	= 120 mg/L (48 h)	
	Chronic (long-term) fish toxicity D-Glucopyranose, oligomers, dec NOEC: (Danio rerio (zebrafish)): = 1 Method: OECD 204		
	Chronic (long-term) toxicity to aq EC10 (Daphnia magna (Big water fl		
12.2	Persistence and degradability		
	No information available.		
12.3	Bioaccumulative potential		
	Partition coefficient: n-octanol/water	r < 1.77 (D-Glucopyranose, oligomers, decyl octyl g	lycosides)
	Partition coefficient: n-octanol/water	r < -0.07 (D-Glucopyranose, oligomeric, C10-16-alk	yl glycosides)
	Partition coefficient: n-octanol/water	r = -0.35 (ethanol: ethyl alcohol)	
124	Mobility in soil		
12.4	No information available.		
12.5	Results of PBT and vPvB assess	ment	
		ot meet the PBT/vPvB criteria according to REACH	, annex XIII.
12.6	Endocrine disrupting properties	5	
	No information available.		
12.7	Other adverse effects		
	No information available.		
SE	CTION 13: Disposal considerat	tions	
13.1	Waste treatment methods		
	Product/Packaging disposal		
	Do not empty into drains; dispose o EC, covering waste and dangerous	f this material and its container in a safe way. Wast waste.	te disposal according to directive 2008/98/
	Waste codes/waste designations	according to EWC/AVV	
	200129* - Detergents containing ha	zardous substances	
	Other disposal recommendations	;	
	Non-contaminated packages may b	e recycled. Vessels not properly emptied are speci	al waste.
SE	CTION 14: Transport information	on	
14.1	UN number or ID number		
	not applicable		
	UN proper shipping name		
14.2	Land transport (ADR/RID)		
14.2	N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	se transport regulations.	
14.2	No dangerous good in sense of the		
14.2	Sea transport (IMDG)		
14.2	Sea transport (IMDG) No dangerous good in sense of the	se transport regulations.	
14.2	Sea transport (IMDG) No dangerous good in sense of the Air transport (ICAO-TI / IATA-DGF	se transport regulations.	
	Sea transport (IMDG) No dangerous good in sense of the Air transport (ICAO-TI / IATA-DGF No dangerous good in sense of the	se transport regulations.	
	Sea transport (IMDG) No dangerous good in sense of the Air transport (ICAO-TI / IATA-DGF No dangerous good in sense of the Transport hazard class(es)	se transport regulations.	
14.3	Sea transport (IMDG) No dangerous good in sense of the Air transport (ICAO-TI / IATA-DGF No dangerous good in sense of the Transport hazard class(es) not applicable	se transport regulations.	
14.3	Sea transport (IMDG) No dangerous good in sense of the Air transport (ICAO-TI / IATA-DGF No dangerous good in sense of the Transport hazard class(es) not applicable Packing group	se transport regulations.	
14.3 14.4	Sea transport (IMDG) No dangerous good in sense of the Air transport (ICAO-TI / IATA-DGF No dangerous good in sense of the Transport hazard class(es) not applicable Packing group not applicable	se transport regulations.	
14.3 14.4	Sea transport (IMDG) No dangerous good in sense of the Air transport (ICAO-TI / IATA-DGF No dangerous good in sense of the Transport hazard class(es) not applicable Packing group not applicable Environmental hazards	se transport regulations. 3) se transport regulations.	
14.3 14.4	Sea transport (IMDG) No dangerous good in sense of the Air transport (ICAO-TI / IATA-DGF No dangerous good in sense of the Transport hazard class(es) not applicable Packing group not applicable Environmental hazards Land transport (ADR/RID)	se transport regulations. 3) se transport regulations. not applicable	
14.3 14.4 14.5	Sea transport (IMDG) No dangerous good in sense of the Air transport (ICAO-TI / IATA-DGF No dangerous good in sense of the Transport hazard class(es) not applicable Packing group not applicable Environmental hazards	se transport regulations. 3) se transport regulations.	



4270000 Version 5.0 Floor cleaner Revision date 02-Jul-2024

Print date 02-Jul-2024

of an accident or leakage. Advices on safe handling: see parts 6 - 8

14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

14.8 Additional information

Land transport (ADR/RID)

not applicable

Sea transport (IMDG)

not applicable

Air transport (ICAO-TI / IATA-DGR)

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 16 g/l

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations

Observe in addition any national regulations!

15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

REACH No.	Substance name	CAS No. EC No.
01-2119489418-23	D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	110615-47-9 600-975-8
01-2119488530-36-XXXX	D-Glucopyranose, oligomers, decyl octyl glycosides	68515-73-1 500-220-1
01-2119532646-36	Potassium carbonate	584-08-7 209-529-3
01-2119457610-43-xxxx	ethanol; ethyl alcohol	64-17-5 200-578-6

SECTION 16: Other information

List of relevant hazard statements and/or precautionary statements from sections 2 to 15

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Eye Dam. 1 Calculation method.

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL: Occupational Exposure Limit Value

BLV: Biological limit values

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard

DNEL: Derived No-Effect Level



4270000	Floor cleaner	
Version 5.0	Revision date 02-Jul-2024	Print date 02-Jul-2024
EAKV: European W EC: Effective Conc EC: European Com EN: European Stan IATA-DGR: Internat IBC Code: Internatio IMDG Code: International C LC: Lethal Concent LD: Lethal Dose MWC: Maximum w MARPOL: Maritime OECD: Organisatio PBT: persistent, bio PNEC: Predicted N RID: Regulations of UN: United Nations VOC: Volatile Orga	Vaste Catalogue Directive centration nmunity ndard utional Air Transport Association – Dangerous Goods Regulatio ional Code for the Construction and Equipment of Ships carryin anal Civil Aviation Organization Technical Instructions for the Sa ational Maritime Code for Dangerous Goods Organization for Standardization tration rokplace concentration e Pollution: The International Convention for the Prevention of F on for Economic Cooperation and Development oaccumulative, toxic to Effect Concentration concerning the International Carriage of Dangerous Goods by R	ons ng Dangerous Chemicals in Bulk afe Transport of Dangerous Goods by Air Pollution from Ships
Indication of chan	-	
* 5 / 1 /		

* Data changed compared with the previous version.

For over 20 years, Ecological Building Systems has been at the forefront of environmental and sustainable building products supplying a range of innovative airtightness solutions and natural insulations backed up with expert technical support.

As product suppliers in the UK and Ireland, we're happy to assist you with your projects and have expert technical and sales advice on hand.



Call us

Great Britain +44 (0)1228 711511 Ireland +353 46 9432104



Email us

info@ecologicalbuildingsystems.com



Find us

Great Britain Ecological Building Systems UK Ltd., Cardewlees, Carlisle, Cumbria, CA5 6LF, United Kingdom

Ireland Ecological Building Systems Ltd., Main Street, Athboy. Co. Meath, C15 Y678, Republic of Ireland



Discover our solutions online at ecologicalbuildingsystems.com