

IBP Fraunhofer Institute for Structural Physics  
Stuttgart, 13.10.2016

Test report No. P7-318/2016

## Heat Transition Coefficient



3 dimensional Finite-Element-Method, DIN EN ISO 10211:2008-04

### Wellhöfer Access Hatch

(Type with additional feature thermal protection WS3D)

**Heat Transition Coefficient = 0.75**

**U-value;** W/(m<sup>2</sup>K)

-> **Significantly better** than the requirements for windows ( $U \leq 1.0$ )

---

For over 20 years, Ecological Building Systems has been at the forefront of environmental and sustainable building products supplying a range of innovative airtightness solutions and natural insulations backed up with expert technical support.

**As product suppliers in the UK and Ireland, we're happy to assist you with your projects and have expert technical and sales advice on hand.**



**Call us**

**Great Britain** +44 (0)1228 711511

**Ireland** +353 46 9432104



**Email us**

[info@ecologicalbuildingsystems.com](mailto:info@ecologicalbuildingsystems.com)



**Find us**

**Great Britain** Ecological Building Systems UK Ltd.,  
Cardewlees, Carlisle, Cumbria, CA5 6LF,  
United Kingdom

**Ireland** Ecological Building Systems Ltd.,  
Main Street, Athboy. Co. Meath, C15 Y678,  
Republic of Ireland