1500060

Version 3.0


1500060

Supplier

Germany

1.4

2.1



SECTION 3: Composition/information on ingredients.

3.2 Mixtures

H412

P501

EUH208

Description

Hazardous ingredients

CAS No.	Substance name	
EC No.	REACH No.	weight-%
Index No.	Classification according to Regulation (EC) No 1272/2008 [CLP]	

AURO

1500060 /ersion 3.0		Colour concentrates for natural resin oils, chromium oxide green Revision date 10-Feb-2024	rint date 07-Mar-2024
	1308-38-9 215-160-9 -	Chromium (III) oxide 01-2119433951-39 ATE (oral): > 5,000 mg/kg ATE (inhalative): > 5.41 mg/L (4 h) ATE (oral): > 5,000 mg/kg ATE (inhalative): > 5.41 mg/L (4 h) ATE (inhalative): > 5.41 mg/L (4 h) Substance with a common (EC) occupational exposure limit value.	35,0 < 50,0
	- 939-409-2 -	Reaction mass of 1-Methyl-4-(1-methylethenyl)cyclohexene and 1-Methyl-4-(1- methylethylidene)-cyclohexene and 1-methyl-4-(propan-2-yl)cyclohexa-1,3-diene 01-2119969963-17-xxxx Flam. Liq. 3 H226 / Asp. Tox. 1 H304 / Skin Sens. 1B H317 / Aquatic Acute 1 H400 (M = 1,00) Aquatic Chronic 1 H410 (M = 1,00)	0,500 < 1,00

Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

 In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions



1500060	Colour concentrates for natural resin oils, chromium oxide green	
Version 3.0	Revision date 10-Feb-2024	Print date 07-Mar-2024

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Storage class LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

	CAS No.	Substance name	Source	Long-term /short-term (Spitzenbegrenzung)
*	1308-38-9	Chromium (III) oxide	WEL	0.5 / - (-) mg/m³

Additional information

Long-term: Long-term occupational exposure limit value short-term: short-term occupational exposure limit value

Biological limit values

No data available

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection



		entrates for natural resin oils, chromium oxide green te 10-Feb-2024	Print date 07-Mar-202
Suitable material: NB Thickness of the glov Breakthrough time >=	e material >= 0.4 mm		
For special purposes, with the supplier of th	it is recommended to o ese gloves. Observe th anufacturer. Penetratio	check the resistance to chemicals of the protective gloves r e instructions and details for use, storage, maintenance an on time of glove material depending on intensity and duration	d replacement provided by
Skin protection			
Barrier creams can he	protecting exposed	skin areas. In no case should they be used after contact.	
Eye/face protection			
Eye glasses with side	protection: EN 166		
Body protection			
-		rotective clothing with CE-labels including the four control d	igits must be worn.
Environmental expo	<u>sure controis</u> nto surface water or dr	aine	
SECTION 9: Physical			
	c physical and chemic		
Physical state			
-		•	
Colour		refer to label	
Odour		characteristic	
pH		not determined	
Melting point/freezing	-	not determined	
Initial boiling point an	d boiling range	not determined	
Flash point		not determined	
flammability		not applicable	
Lower explosion limit	at 20°C	not determined	
Upper explosion limit	at 20°C	not determined	
Vapour pressure at 2	D°C	2.508 mbar	
Relative vapour dens	ty	not applicable	
Density at 20 °C		1.5 kg/l	
Water solubility at 20	°C	practically insoluble	
Partition coefficient: r	-octanol/water	see section 12	
Ignition temperature i	n °C	not determined	
Decomposition tempe	erature	not determined	
Viscosity at 20 °C:		3,302.73 mm²/s	
2 Other information			
not applicable			
SECTION 10: Stability	and reactivity		
0.1 Reactivity	•		
-	elated to reactivity ava	ilable for this product or its ingredients.	
0.2 Chemical stability			

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5 Incompatible materials

No further relevant information available.



date 07-Mar-2024

1500060	Colour concentrates for natural resin oils, chromium oxide green	
Version 3.0	Revision date 10-Feb-2024	Print o

10.6 Hazardous decomposition products

* Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

- * Chromium (III) oxide
- LD50: oral (Rat): > 5,000 mg/kg
- * LC50: inhalative (Rat): > 5.41 mg/L (4 h)
- * LD50: oral (Rat): > 5,000 mg/kg
- * LC50: inhalative (Rat): > 5.41 mg/L (4 h)

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

* Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

11.2 Information on other hazards

* Endocrine disrupting properties

 This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1 Toxicity

* Harmful to aquatic life with long lasting effects.

Acute (short-term) fish toxicity

- * Reaction mass of 1-Methyl-4-(1-methylethenyl)cyclohexene and 1-Methyl-4-(1-methylethylidene)-cyclohexene and 1methyl-4-(propan-2-yl)cyclohexa-1,3-diene
 - LC50: (Danio rerio (zebrafish)): 1.3 mg/L (96 h)
- * Acute (short-term) toxicity to algae and cyanobacteria ErC50: (Desmodesmus subspicatus): 0.42 mg/L (72 h)
- * Acute (short-term) toxicity to crustacea EC50 (Daphnia magna (Big water flea)): 0.48 mg/L (48 h)

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Dartition coefficient: n actanol/water - 4.99 (Depation mass of 1 Mathul 4.11 mathulathanul)avalahavana and 1 Mathul 4.(1



Vers	ion 3.0 Revision da	centrates for natural resin oils, chromium oxide green ate 10-Feb-2024	Print date 07-Mar-20	
	Fallition coemcient. n-octanoi/water = 4.00	(пеасной шазь он т-ичения-4-(т-шениянения)сускопехени		
•	methylethylidene)-cyclohexene and 1-methy	yi-4-(propari-z-yi)cyclonexa-1,5-diene)		
2.4	Mobility in soil			
	No information available.			
2.5	Results of PBT and vPvB assessment			
		the PBT/vPvB criteria according to REACH, annex XIII.		
2.6	Endocrine disrupting properties			
o 7	No information available.			
2.7	Other adverse effects			
	No information available.			
SE	CTION 13: Disposal considerations			
3.1	Waste treatment methods			
	Product/Packaging disposal			
	Do not empty into drains; dispose of this ma EC, covering waste and dangerous waste.	aterial and its container in a safe way. Waste disposal accor	ding to directive 2008/98/	
	Waste codes/waste designations accordi	-		
	-	ng organic solvents or other dangerous substances		
	Other disposal recommendations			
	Non-contaminated packages may be recycle	ed. Vessels not properly emptied are special waste.		
SE	CTION 14: Transport information			
4.1	UN number or ID number			
	not applicable			
4.2	UN proper shipping name			
	Land transport (ADR/RID)			
	No dangerous good in sense of these transp	port regulations.		
	Sea transport (IMDG)			
	No dangerous good in sense of these transport regulations.			
	Air transport (ICAO-TI / IATA-DGR)			
	No dangerous good in sense of these transp	port regulations.		
4.3	Transport hazard class(es)			
	not applicable			
4.4	Packing group			
	not applicable			
4.5	Environmental hazards			
	Land transport (ADR/RID)	not applicable		
	Sea transport (IMDG)	not applicable		
4.6	Special precautions for user			
	Transport always in closed, upright and safe of an accident or leakage. Advices on safe handling: see parts 6 - 8	e containers. Make sure that persons transporting the produ	ct know what to do in case	
4.7	Maritime transport in bulk according to I	MO instruments		
	No transport as bulk according to IBC Code			
14.8	Additional information			
4.8	Land transport (ADR/RID)			
4.8				
14.8				
14.8	not applicable Sea transport (IMDG)			
14.8	Sea transport (IMDG)			
14.8	Sea transport (IMDG) not applicable			
4.8	Sea transport (IMDG)			

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



1500060Colour concentrates for natural resin oils, chromium oxide greenVersion 3.0Revision date 10-Feb-2024Print date 07-Mar-2024

EU legislation

Restrictions of occupation

* Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 15 g/l

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

- * VOC limit value: 2004/42/IIA(e): 400 g/l (2010)
- * Maximum VOC content of the product in a ready to use condition: 15

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations

Observe in addition any national regulations!

15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

	REACH No.	Substance name	CAS No. EC No.
*	01-2119433951-39	Chromium (III) oxide	1308-38-9 215-160-9
*	01-2119969963-17-xxxx	Reaction mass of 1-Methyl-4-(1-methylethenyl)cyclohexene and 1-Methyl-4- (1-methylethylidene)-cyclohexene and 1-methyl-4-(propan-2- yl)cyclohexa-1,3-diene	- 939-409-2

SECTION 16: Other information

List of relevant hazard statements and/or precautionary statements from sections 2 to 15

	H226	Flammable liquid and vapour.	
	H304	May be fatal if swallowed and enters airways.	
	H317	May cause an allergic skin reaction.	
*	H400	Very toxic to aquatic life.	
	11440		

H410 Very toxic to aquatic life with long lasting effects.

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Aquatic Chronic 3 Calculation method.

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- OEL: Occupational Exposure Limit Value
- BLV: Biological limit values
- CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard

- DNEL: Derived No-Effect Level
- EAKV: European Waste Catalogue Directive
- EC: Effective Concentration
- EC: European Community
- EN: European Standard

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air

- IMDG Code: International Maritime Code for Dangerous Goods
- ISO: International Organization for Standardization
- LC: Lethal Concentration
- LD: Lethal Dose
- MWC: Maximum wokplace concentration
- MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
- OECD: Organisation for Economic Cooperation and Development
- PBT: persistent, bioaccumulative, toxic



1500060 Version 3.0 Colour concentrates for natural resin oils, chromium oxide green Revision date 10-Feb-2024

Print date 07-Mar-2024

PNEC: Predicted No Effect Concentration

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative

Indication of changes

* Data changed compared with the previous version.

For over 20 years, Ecological Building Systems has been at the forefront of environmental and sustainable building products supplying a range of innovative airtightness solutions and natural insulations backed up with expert technical support.

As product suppliers in the UK and Ireland, we're happy to assist you with your projects and have expert technical and sales advice on hand.



Call us

Great Britain +44 (0)1228 711511 Ireland +353 46 9432104



Email us

info@ecologicalbuildingsystems.com



Find us

Great Britain Ecological Building Systems UK Ltd., Cardewlees, Carlisle, Cumbria, CA5 6LF, United Kingdom

Ireland Ecological Building Systems Ltd., Main Street, Athboy. Co. Meath, C15 Y678, Republic of Ireland



Discover our solutions online at ecologicalbuildingsystems.com